SECTION

1

AIR CONDITIONERS - *Product Group - 100)*

Aircommand	04 - 07
Coleman	07 - 08
Dometic	09 - 12

PRIVACY ROOMS - *(Product Group - 150)*

Fiamma	12 - 13

AWNINGS & ACCESSORIES - *(Product Group - 200)*

Fiamma Awnings	13 - 16
Fiamma Adapter Brackets	17
Awning Accessories	18 - 22
Annexe Matting	22 - 23
Coast Sunscreens	24
Carefree Awnings	25 - 30

BUILDING MATERIALS - *(Product Group - 250*

Door Struts, Canopy Lift Mechanisms & Mould Infills	31 - 32

AIR CONDITIONERS

GALVANISED H-FRAME

100-00002

A galvanised steel frame enabling easy installation of air conditioners onto caravans & motor homes with no reinforced roofs. The H-Frame helps to distribute the weight of the air conditioner across your RV's rooftop.

Cut Out Size: 360L x 360W (mm)
H-Frame Size: 2440L x 720W (mm)

DOMETIC H-FRAME

100-00004

Distributes the weight of your Dometic B1900S or B2200 air conditioner. Constructed from light weight aluminium.

Cut Out Size: 400L x 400W (mm)
H-Frame Size: 2400L x 750W (mm)

UNIVERSAL AIR CONDITIONER GASKET KIT

100-00082

Acts as a seal between your air conditioner & your roof to limit rain from entering where the air conditioner has been installed. The kit includes a self adhesive square gasket [356L x 356W (mm)] & x2 self adhesive levelling pads.

AIRCOMMAND HERON 2.2 SPLIT SYSTEM AIR CONDITIONER

The Heron 2.2 is a compact and efficient split system air conditioner that allows flexibility of installation. It consists of two main parts: an air handler (installed in an overhead area) and the low profile condenser (installed under beds or seats). The Heron 2.2 provides heater element style warmth, benefits of which include quieter running and the ability to run in much colder climates without any need to de-ice frozen coils. It is suitable for caravans, motor homes and pop tops up to 5.2mt in external length, the Heron 2.2 will give you a relaxing environment all year round. Its controls are simple to use for people on the move. Aircommand air conditioners are designed and manufactured in Australia and come with an Aircommand 12month warranty on parts and labour. The Heron 2.2 is available in two air handler colours – White or Sparkling Silver.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.7Kw
Nominal Heating Capacity: 1.5Kw
Max Rated Current – Cooling: 4.0A
Max Rated Current – Heating: 6.5A
Max Locked Rotor Current: 20A
Max Air Delivery: 110Lt/s
Installed Weight: 34Kg
Air Handler Dimensions: 228H x 390W x 240D (mm)
Condenser Dimensions: 245H x 462W x 450D (mm)
Minimum Cupboard Dimensions Required:
490W x 290H x 310D (mm)

100-00210
Heron 2.2 – White

100-00212
Heron 2.2 – Silver

AIRCOMMAND SPLIT SYSTEM AIRCONDITIONER - HERON Q

The Heron Q has been designed with a higher cooling capacity than the Heron 2.2, making it more suitable for slightly bigger and more demanding air spaces. It is an efficient reverse cycle air conditioner and comes with an infrared remote control for easier climate control. The air handler is normally fitted in an overhead compartment while the condenser would be best positioned at the back of a cupboard. The condenser has been designed in such a way that cupboards and shelves can be built right up to the unit - all required maintenance access can be done from the outside of the RV! The Heron Q's multidirectional fascia (on the air handler) gives greater air control, allowing you to direct air flow to where it is needed most. It is suitable for caravans, motor homes and pop tops up to 7mt in external length. Aircommand air conditioners are designed and manufactured in Australia and come with an Aircommand 12month warranty on parts and labour. The Heron Q is available in two air handler colours – White or Sparkling Silver.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 3.2Kw
Max Rated Current-Cooling: 6.5A
Max Rated Current-Heating: 6.5A
Max Locked Rotor Current: 20A
Max Air Delivery: 138Lt/s
Installed Weight: 38Kg
Air Handler Dimensions: 240H x 380W x 250D (mm)
Condenser Dimensions: 770H x 455W x 295D (mm)
Minimum Cupboard Dimensions Required:
490W x 290H x 310D (mm)

100-00220
Heron Q – White

100-00221
Heron Q – Silver

AIRCOMMAND REVERSE CYCLE AIR CONDITIONER JABIRU 2.2KW

100-00232
The Jabiru is an all in one unit that is compact enough for use in camper trailers and smaller RV's. Although its performance will be affected by ambient temperatures when installed in a camper trailer (being that canvas is your only insulation) it still provides 2.2Kw of cooling and heating. It has a LED control panel enabling you to view your climate control settings and adjust them accordingly. The full function remote control has a sleep timer and dehumidifying options. Like the Heron 2.2, the Jabiru also has heat pump reverse cycle heating, allowing for operation in temperatures as low as -5^{0}C. The compactness of the Jabiru makes it easy to install in a cupboard and is simple enough to self-install. Suitable for caravans up to 5mt in external length, or used in camper trailers providing spot cooling for heating relief. Comes with an Aircommand 12month warranty on parts and labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.2Kw
Nominal Heating Capacity: 2.2Kw
Max Rated Current - Cooling: 5.2A
Max Rated Current - Heating: 5.2A
Max Air Delivery: 120Lt/s
Installed Weight: 40Kg
Dimensions: 750H x 300W x 565D
(includes 15mm for the fascia) (mm)
Recess Dimensions:
747H x 270W x 550D (mm)

AIRCOMMAND REVERSE CYCLE AIR CONDITIONER IBIS 3.2

100-00240

The Ibis 3.2 is one of Aircommand's (roof top) low profile models reducing drag whilst travelling & also giving greater clearance when it comes to bridges and/or carports. Not only does it have heating & cooling functions but also provides your RV with dehumidified & filtered air. The Ibis 3.2 consists of a roof mount air conditioner (encased in a one-piece tough moulding) & the plenum. Its refridgerative heat pump means that the Ibis 3.2 produces up to 40% more heat than element type air conditioners. The plenum is easy to use with a flip down control panel or if you prefer, you can utilise the slimline remote control to adjust any settings.

The Ibis 3.2, in most conditions, will even evaporate its own condensate which minimises water streaking down the side of your RV. Suitable for caravans & motor homes up to 7mt in length. Aircommand air conditioners are designed and manufactured in Australia & come with an Aircommand 12month warranty on parts and labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 3.4Kw
Max Rated Current-Cooling: 5.4A
Max Rated Current-Heating: 5.6A
Max Locked Rotor Current: 20A
Max Air Delivery: 140Lt/s
Installed Weight: 49Kg (inc plenum)
Dimensions (for Roof Mount): 220H x 825W x 1040D (mm)

Roof Mount

Plenum

What size generator do I need to run my Ibis?
Aircommand recommend a 2.5Kva generator as this will allow operation of other items at the same time. The Ibis draws approx 1.44Kw and the inverter generators that can provide the power, can also provide the 'kick' for start up. Running an air conditioner on less than 2.5Kva may mean that you have to turn off other 240V powered appliances, but you may be willing to compromise on this to have a lighter (less powerful) generator.
Source: Aircommand Cool Changes Autumn 2011

AIRCOMMAND REVERSE CYCLE ROOF TOP AIR CONDITIONER - CORMORANT 3.5

100-00252

The affordable reverse cycle roof top air conditioner, created for the Australian environment, that is full of features. The Cormorant is highly efficient, and being that it is a fully reverse cycle unit, it is suitable for heating and cooling insulated caravans and motorhomes up to 7mt in external length. It comes with an infrared remote control which allows you to adjust your temperature settings from anywhere within your RV. To protect you from surges and drops in power supply, it is also fitted with built in compressor protection. The redesigned Cormorant is quiet and has a stylish, white internal plenum. It also has a dehumidifier function which prevents mould and mildew, hence assisting asthma and allergy sufferers. Comes with an Aircommand 12month warranty on parts and labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.5Kw
Nominal Heating Capacity: 3.5Kw
Max Rated Current - Cooling: 6.1A
Max Rated Current - Heating: 6.5Kw
Max Air Delivery: 150Lt/s
Installed Weight: 47Kg
Dimensions (Roof Mount): 346H x 690W x 970L (mm)
Air Handler Dimensions: 555L x 535W x 65D (mm)

AIRCOMMAND REVERSE CYCLE ROOF TOP AIR CONDITIONER - SPARROW 2.0

100-00262

Lightweight and powerful, the Sparrow has been revamped to a sleek and compact roof top air conditioner. It is a reverse cycle refridgerative heat pump roof top air conditioner, which provides up to 70% more heat than element type units. Providing heating, cooling, filter and dehumidified air, the Sparrow is super efficient and economical. Its compact dimensions make it a versatile unit, while its ultra low profile ensures less drag when towing but also allows for a greater clearance under your carport or low lying bridges. It even has an automatic de-ice setting for low ambient heating operation. The attractive white plenum's filters are easily removed for cleaning and has a manual control with a flip down feature. If it is easier, you can also control your temperature and fan settings by means of the infrared remote control. It also has a dehumidifier function which prevents mould and mildew, hence assisting asthma and allergy sufferers. The Sparrow is suitable for RV's up to 5.3mt in external length. Comes with an Aircommand 12month warranty on parts and labour.

Specifications:

Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.0Kw
Nominal Heating Capacity: 2.2Kw
Max Rated Current - Cooling: 4.0A
Max Rated Current - Heating: 4.2A
Max Air Delivery: 110Lt/s
Installed Weight: 33Kg
Dimensions:
220H x 550W x 915L (mm)
Air Handler Dimensions:
555L x 535W x 65D (mm)

COLEMAN AIR CONDITIONER - TSR

100-00500

Designed in conjunction with the Coast to Coast Technical Team & manufactured in the US, the TSR is best suited to the harsh Australian climate. With its main function being a cooling unit, the TSR offers value for money & reliability.
All tubing is constructed of copper ensuring durability. The ceiling mounted plenum is simple & easy to use. The TSR is best suited for caravans & motor homes up to 7mt in length. Coast to Coast offer a 12month warranty (from date of initial purchase) on parts & labour.

Specifications:

Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.9Kw
Nominal Heating Capacity: 1.6Kw
Max Rated Current-Cooling: 6.2A
Max Rated Current-Heating: 7.5A
Max Locked Rotor Current: 32A
Max Air Delivery: 142Lt/s
Installed Weight: 45Kg (inc plenum)
Dimensions (for Roof Mount):
337H x 737W x 1092D (mm)

Roof Mount

Plenum

For serious off roaders, the TSR can be converted to a Roughneck TSR. Simply purchase the TSR above and a Roughneck Conversion Kit (100-01270)

AIR CONDITIONERS

COLEMAN AIR CONDITIONER - LOW PROFILE

100-00520

Continuous R&D in the Coleman camp have resulted in this low profile air conditioner offering the best cooling capacity vs. power consumption in the RV industry. Just as the other Coleman air conditioners, the Low Profile is predominantly used for its cooling function. The rotary compressor, positioned horizontally, is the centre of the refrigeration system. Possible corrosion is minimized by constructing the water collection pan of a high density polyethylene. The fan motor is covered by a canopy to protect it against damage from the elements. Best suited for caravans & motor homes up to 7mt in length. Coast to Coast offer a 12month warranty (from date of initial purchase) on parts & labour.

Specifications:

Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.9Kw
Nominal Heating Capacity: 1.6Kw
Max Rated Current-Cooling: 6.0A
Max Rated Current-Heating: 9.6A
Max Locked Rotor Current: 22A
Max Air Delivery: 146Lt/s
Installed Weight: 44Kg (incl plenum)
Dimensions (for Roof Mount): 270H x 756W x 1137D (mm)

Shroud

Plenum

Do you know what is inside your air conditioner?

COLEMAN AIR CONDITIONER SPARE PARTS

100-01097	Selector Switch for 9 Series TSR Ceiling Assembly (suits TSR's & Low Profile)
100-01138	Thermostat Heat & Cool for TSR 9 Series Ceiling Assembly (suits TSR's & Low Profile)
100-01161	Filter for TSR 9 Series Ceiling Assembly (suits TSR's & Low Profile)
100-01166	Gasket Pack Coleman A/C (suits TSR's & Low Profile)
100-01207	Heater Element Kit for 9 Series Plenum (suits TSR's & Low Profile)
100-01227	Shroud only for Low Profile, 1-piece (suits Low Profile only)
100-01228	Shroud Only New Style for TSR Mach 3 (suits TSR's only)
100-01248	Louver & Vane Kit for TSR 9 Series Ceiling Assembly, White (suits TSR's & Low Profile)
100-01264	Selector Switch Knob for 9 Series Plenum (suits TSR's & Low Profile)
100-01266	Thermostat Knob for 9 Series Plenum (suits TSR's & Low Profile)

AIR CONDITIONERS

DOMETIC AIR CONDITIONER B3241

100-02000

The B3241 has the ability to cool and heat (by means of an electric heater) and is suitable for RV's up to 6mt in external length. Its main purpose is for cooling which it efficiently does by utilising a 3-speed fan and automotive style air louvers to direct airflow to where it is needed most. With the air handler being a measly 6.4cm high, you're also ensured that the unit will not impact on your living space. The outer shroud is made from tough ABS plastic (known for its impact properties), while the inner shroud is made from galvabond. It has removable and washable filters and comes with a Dometic 12 month warranty.

Specifications:

Electrical Rating (Single Phase):
240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 1.6Kw
Max Rated Current-Cooling: 6.8A
Max Rated Current-Heating: 7.95A
Installed Weight: 50Kg
(includes air handler)
Shroud Dimensions:
1015L x 730W x 265H (mm)
Air Handler Dimensions:
560L x 510W x 64H (mm)

DOMETIC REVERSE CYCLE AIR CONDITIONER B3242

100-02002

The B3242 has all the same benefits and structural components as the B3241 (above) except that it provides reverse cycle heating and cooling.

Specifications:

Electrical Rating (Single Phase):
240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 3.2Kw
Max Rated Current-Cooling: 6.1A
Max Rated Current-Heating: 5.74A
Installed Weight: 50Kg
(includes air handler)
Shroud Dimensions:
1015L x 730W x 265H (mm)
Air Handler Dimensions:
560L x 510W x 64H (mm)

DOMETIC UNDERBUNK REVERSE CYCLE AIR CONDITIONER - CLIMASTER

100-02004

The Climaster is an under bunk reverse cycle air conditioner that gives you the power to direct airflow to exactly where you want it. It comes with a 3-pipe connection on the under bunk unit allowing nozzles to be installed in areas where airflow would most be required. The Climaster is easy to install & comes pre-gassed – so all you have to do is position the vents where necessary, hook it up to a power supply & you're ready to go! The Climaster does not have a remote control available but it does have a wall mounted control for your convenience. It's best suited to caravans & motor homes up to 5Mt in length. Dometic offer a 12month warranty on parts & labour.

Specifications:

Electrical Rating (single phase):
240V, 50Hz
Nominal Cooling Capacity: 2.2Kw
Nominal Heating Capacity: 1.9Kw
Max Rated Current-Cooling: 9.2A
Max Rated Current-Heating: 7.9A
Max Locked Rotor Current: 20A
Installed Weight: 32Kg
Dimensions:
270H x 420W x 650D (mm)

DOMETIC AIR CONDITIONER - B3300

100-02008

A cooling system with muscle & a highly efficient compressor, the B3300 even has an engineered fan motor, blower wheel & custom coils to help in delivering maximum cooling comfort. The electric heating element will also help to keep you warm in the cooler months of your travel. The roof mounted plenum has easy to use, & reach, manual controls for adjusting the inside temperature of your RV. Its adjustable louvers & 3-speed fan settings also assist in dispersal of airflow. Filters are positioned where it is easy to remove for maintenance. It is best suited to caravans & motor homes up to 5Mt in length. Dometic offer a 12month warranty on parts & labour.

Specifications:

Electrical Rating (single phase):
240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 1.6Kw
Max Rated Current-Cooling: 5.6A
Max Rated Current-Heating: 7.4A
Max Air Delivery: 121Lt/s
Installed Weight: 44Kg (incl plenum)
Dimensions: 325H x 750W x 871D (mm)

AIR CONDITIONERS

DOMETIC AIR CONDITIONER - B1900S

100-02010

The B1900S is a lightweight cooling system with an aerodynamic & low profile. Its plenum is already attached to the shroud making installation onto your caravan, motor home or pop top a little easier. Whilst the B1900S is not being used, the vents fold down to sit flush with the ceiling of your RV. It has a 2-speed fan to assist with airflow & the filters are easily removed for cleaning. Temperature controls are mounted onto the plenum, while the heating element will keep your RV warm during the colder months. Suited for caravans, motor homes & pop tops (modification will be required) up to 5mt in length. Dometic offer a 12month warranty on parts & labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 1.9Kw
Nominal Heating Capacity: 1.2Kw
Max Rated Current-Cooling: 3.9A
Max Rated Current-Heating: 5.2A
Max Locked Rotor Current: 10A
Installed Weight: 33Kg (incl plenum)
Dimensions: 235H x 650W x 980D (mm)

DOMETIC AIR CONDITIONER - B2200

100-02012

A quiet achiever, the B2200 combines powerful performance with minimal noise emissions. The new plenum, combined with the remote control, allow for easy manipulation of the temperature & airflow i.e. dispersion can be from the front or the back or both at the same time. The B2200 has a very low profile offering drag resistance. Its shroud is produced via injection moulding, resulting in a flexible yet tough outer shell. Temperature & fan settings can easily be changed with the convenient remote control supplied. Suited for caravans, motor homes & pop tops (modification will be required) up to 5mt in length. Dometic offer a 12month warranty on parts & labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.0Kw
Nominal Heating Capacity: 1.2Kw
Max Rated Current-Cooling: 3.9A
Max Rated Current-Heating: 5.2A
Max Locked Rotor Current: 10A
Installed Weight: 34Kg (incl plenum)
Dimensions:
235H x 650W x 980D (mm)

DOMETIC AIR CONDITIONER - B3000 PLUS

100-02014

The latest addition to the Dometic range of reverse cycle air conditioners, the B3000 Plus has a low, aerodynamic profile. It has been built tough enough for the Australian climate, featuring a durable ABS plastic outer shroud with a reinforced base pan. The compact plenum allows for more headroom inside your RV & has 12V LED lights mounted on it. The B3000 Plus comes with a multifunction remote control, removable (& washable filters) & active carbon filters. The fan has four speed settings, all of which are quiet. Suited for caravans, motor homes & pop tops (modification will be required) up to 6mt in length. Dometic offer a 12month warranty on parts & labour.

Specifications:
Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 3.2Kw
Nominal Heating Capacity: 3.3Kw
Max Rated Current-Cooling: 5.2A
Max Rated Current-Heating: 5.9A
Max Locked Rotor Current: 10A
Installed Weight: 40.5Kg (incl plenum)
Dimensions:
235H x 650W x 980D (mm)

DOMETIC GAS POWERED AIR HEATING SYSTEM - TRUMA E2400

100-02040

A compact & flexible heating unit with 2.4Kw of heating power. It requires little space for installation in almost any position. It has an electric control unit allowing for automated operation. A reliable & safe heater for motor homes, caravans & camper vans. A low maintenance heater with low 12V consumption. Comes with a Dometic 1yr warranty.

Specifications:
Nominal Heating Capacity: 2.4Kw
Max Air Delivery: 78m3/hr
Installed Weight: 6.7Kg
Dimensions: 248W x 123H x 370D (mm)
Current Consumption: 12V, 1.1A
Gas Consumption: 170g/hr



AIR CONDITIONERS

DOMETIC TRUMA E2400 - BASIS SET

100-02042
Single outlet for the E2400

DOMETIC TRUMA E2400 - ADDITIONAL SET

100-02044
Additional outlet for the E2400 (note this is one outlet only, so for two outlets, please purchase 100-02042 + 100-02044)

DOMETIC DIESEL HEATER - SINGLE OUTLET

100-02050
If you don't always have a power source available to run an air conditioner, a diesel fuelled heater may be your best option when holidaying in colder months. The Dometic E6942 heater is efficient & economical. It draws in the room air through one vent, heats it & then lets the heated air out through the posterior vent. In the case of motor home owners, the E6942 can be installed to use the motor homes' fuel; alternatively a fuel tank can be used. It is a compact heater suitable for caravan, motor home & marine applications. It has an integrated microprocessor which automatically reduces the amount of hot air being blown into your RV as the temperature rises. Dometic offer a 12month warranty on parts & labour.

Specifications:
Voltage: 12V
Heating Capacity: 2.2Kw
Air Flow: 87m3/hr
Fuel Consumption: 0.28Lt/hr (Diesel)
Dimensions: 122H x 310W x 115D (mm)
Weight: 2.5Kg

DOMETIC DIESEL HEATER – CONTROLS

When purchasing the Diesel Heater, there are two methods for temperature control available to suit your needs. The Manual Control is a turn-style mechanism, while the Digital Control has an LCD screen and push buttons for adjusting settings.

100-02051
Dometic Diesel Heater D2 modular kit (12V)
Dimensions: 62W x 78H x 12D (mm)

DOMETIC DIESEL HEATER - TWIN OUTLET

100-02056
The Dometic E6943 has all the same features as the E6942 but with the added benefit of an extra outlet. The outlets are able to be opened & closed as required, allowing you to concentrate heating in a specific area if preferred. Dometic offer a 12month warranty on parts & labour.

Specifications:
Voltage: 12V
Heating Capacity: 2.2Kw
Air Flow: 87m3/hr
Fuel Consumption: 0.28Lt/hr (Diesel)
Dimensions: 122H x 310W x 115D (mm)
Weight: 2.7Kg

DOMETIC BLACK FUEL TANK FOR DIESEL HEATER

100-02058
A slimline storage canister that holds up to 10Lt of diesel to run your Dometic heater. It has 3 bolting points to avoid spillage.

DOMETIC DUCTING FOR DIESEL HEATER

100-02060 Dometic Ducting For Diesel Heater – Sold Per Metre
100-02062 Dometic Ducting For Diesel Heater – 50Ft (15.24mt)

TRUMA AVENTA COMFORT REVERSE CYCLE AIR CONDITIONER

100-02100

The new Truma Aventa is quite powerful with a surprisingly slim and attractive plenum. It offers 1700watts of heating power and a powerful 2400watts of cooling capability. Its energy saving heat pump ensures a comfortable temperature inside your RV (provided the outside temperature is greater than 4^0C), and it provides dehumidified, cleaned air thanks to its air filter system. When it comes to cooling, the Truma Aventa cools the inside of your RV quickly and quietly. Its flexible air distribution system allows you to direct the air where it is mostly needed, thus cooling efficicently. It even has a sleep mode function, if this is selected, the evaporator and condensor fans will run slower, resulting in even quieter operation for a restful sleep. The plenum has LED lighting which can be dimmed if ambience is required. It is suitable for RV's up to 7.5mt in external length and comes with a remote control with a programmable timer function. Dometic offers a 12month warranty on the Truma Aventa Comfort.

Specifications:

Electrical Rating (single phase): 240V, 50Hz
Nominal Cooling Capacity: 2.4Kw
Nominal Heating Capacity: 1.7Kw
Max Rated Current - Cooling: 4.2A
Max Rated Current - Heating: 3.7A
Max Air Delivery: 400m^3/hour
Installed Weight: 33Kg
Dimensions:
248H x 523W x 1008L (mm)
Air Dimensions:
46H x 670W x 523L (mm)

POP TOP INSERT BOWS

150-00200

These curved bows slide into most pop top vinyl sleeves to ensure the vinyl or canvas folds in when the roof is lowered. They extend up to 280mm in length.

FIAMMA VEHICLE DRAUGHT SKIRT

150-01200

Great for protection against wind or rain. The Draught Skirt comes with an installation kit which includes snap fasteners & even has skirting protection for your wheels. It can be shortened if required.

Dimensions: 550L x 60H cm

FIAMMA PRIVACY ROOMS

Double your outdoor living space with one of Fiamma's Privacy Rooms. With a variety of sizes available, there will be one to suit you & your family's holidaying needs. The redesigned walls all have windows which can be rolled open. The mosquito net underneath allows complete aeration of your Privacy Room, transforming your Fiamma awning into a comfortable living area. Side panels are quickly put together by using an exclusive Clip System, giving you more time to enjoy your getaway! Suitable for Fiamma F45 box awnings.

INSTALLATION GUIDE:

The upper & lower part of the clip systems clamp onto the awning vinyl & is secured by tightening the knob underneath. This creates a tight seal protecting the inside of your Privacy Room from wind & rain.

A sponge is fitted to the back part of the side panels which are fixed to the vehicle by means of an aluminium telescopic pole. The front panel slides into the groove (front rail) on the awning & is joined to the side panels by means of zippers.

Each Privacy Room comes with the following: Front panel with window, independent door that can be fitted to the left or right hand side, x2 side panels with window, clip system installation kit, curtains kit (curtain design: London) & a mega bag for storage.



Use this table to help select right Privacy Room for your Fiamma F45 Awning

	Part No:	Awning Length (A)	Height From Ground (B)	Extension (C)
VAN				
250 Van **	150-02000	2.5Mt	1.8 – 2.2Mt	2.0Mt
MEDIUM				
300 Medium	150-02020	3.0Mt	2.25 – 2.50Mt	2.5Mt
350 Medium	150-02030	3.5Mt	2.25 – 2.50Mt	2.5Mt
400 Medium	150-02040	4.0Mt	2.25 – 2.50Mt	2.5Mt
450 Medium	150-02050	4.5Mt*	2.25 – 2.50Mt	2.5Mt
LARGE				
300 Large	150-02056	3.0Mt	2.51 – 2.80 Mt	2.5Mt
350 Large	150-02058	3.5Mt	2.51 – 2.80 Mt	2.5Mt
400 Large	150-02060	4.0Mt	2.51 – 2.80 Mt	2.5Mt
450 Large	150-02070	4.5Mt*	2.51 – 2.80 Mt	2.5Mt
500 Large	150-02080	5.0Mt*	2.51 – 2.80 Mt	2.5Mt

* x1 Door Pole, Front vertical telescopic pole standard delivered

** 250 Van will not suit Fiamma F45S 260 awnings

FIAMMA F35 PRO AWNINGS

Perfect for your minivan, 4x4 or even a station wagon. Housed in a light anodized aluminium case, the Fiamma F35 Pro has a manual mechanism – press the red button on the side of the casing to open & then walk backwards while unrolling the awning. The drop down legs are housed inside the roller tube.

Adapters are available to help with installation onto the roof racks of your vehicle. The fabric is printed on both sides on a UV-resistant & waterproof vinyl. The F35 Pro extends up to 225. Also comes with ropes & hooks for securing to the ground.



200-04100 Fiamma F35 Pro 180
Length: 180cm
Extension: 180cm
Weight: 6.0kg

200-04102 Fiamma F35 Pro 220
Length: 220cm
Extension: 225cm
Weight: 8.5kg

200-04104 Fiamma F35 Pro 250
Length: 250cm
Extension: 225cm
Weight: 9.0kg

200-04108 Fiamma F35 Pro 300
Length: 300cm
Extension: 225cm
Weight: 10.5kg

FIAMMA AWNINGS

FIAMMA CARAVANSTORE AWNINGS

An elegant, easy to use & light bag awning. It offers excellent shelter from the sun & takes up little space when closed inside its waterproof bag. Legs are housed inside its extra wide roller which also maintains a wrinkle-free fabric. It takes just a few seconds to unroll or roll up & its waterproof bag has a handy YKK zipper.

Designed for most RV's such as caravans, pop tops & motor homes. The roller can be rolled up in two ways & comes with a rafter support kit. The Caravanstore awning can be fixed to the ground or to the wall of your RV by means of wall brackets. The awning fabric is hard wearing & is printed on both sides.

200-04150 Fiamma Caravanstore 190
Length: 196cm
Extension: 180cm
Weight:5.4kg

200-04152 Fiamma Caravanstore 225cm
Length: 236cm
Extension: 225cm
Weight: 7.1kg

200-04154 Fiamma Caravanstore 255
Length: 266cm
Extension: 225cm
Weight: 7.6kg

200-04156 Fiamma Caravanstore 280
Length: 288cm
Extension: 225cm
Weight: 7.8kg

200-04158 Fiamma Caravanstore 310
Length: 318cm
Extension: 225cm
Weight:8.3kg

200-04160 Fiamma Caravanstore 360
Length: 369cm
Extension: 225cm
Weight: 9.5kg

FIAMMA W35 WINDOW AWNINGS

Ideal for side & rear windows of your RV, the W35 range is easy to install & provides extra protection from the sun. To open, simply pull on the opening belt; it retracts automatically thanks to the spring inside the roller tube.

Can be installed on the rail above your RV's windows & is housed in an anodized aluminium case. Made of a semi-transparent white material, the W35 blocks out 85% of the sun's rays.



200-04190 Fiamma W35 (135cm) Window Awning
A: 135cm B: 120cm
C: 45cm D: 65cm
Weight: 4.5kg

200-04191 Fiamma W35 (195cm) Window Awning
A: 195cm B: 180cm
C: 45cm D: 65cm
Weight: 6.0kg

FIAMMA F45 S AWNINGS

Fiamma's best selling awning has had a few cosmetic changes, with the result being a more compact and functional box awning. The lead bar now has two tracks allowing for use of a sunscreen and/ or LED lights. The F45 S range of awnings are simple to use and easy to install on the wall of your RV or horse trailer. When not in use, the F45 S takes up little space while snuggly enclosed in its polar white aluminium case. It is sturdy and safe to operate, with an easy-to-hook winch loop. The canopy is available in five colours and is UV resistant, waterproof and washable. The colour is printed on both sides of the canopy.

Aluminium Case Dimension:



Use the table below to help decide which F45 S awning is right for you:

Description	A	B	C	Shade Surface	Weight
F45 S 260	263cm	247cm	200cm	4.9m^2	19.5kg
F45 S 300	308cm	292cm	250cm	7.3m^2	23kg
F45 S 350	348cm	331cm	250cm	8.3m^2	24kg
F45 S 400	398cm	381cm	250cm	9.5m^2	27kg

200-04490 Fiamma F45 S 260 Blue Ocean Awning
200-04515 Fiamma F45 S 300 Blue Ocean Awning
200-04525 Fiamma F45 S 350 Blue Ocean Awning
200-04535 Fiamma F45 S 400 Blue Ocean Awning

200-04491 Fiamma F45 S 260 Deluxe Grey Awning
200-04516 Fiamma F45 S 300 Deluxe Grey Awning
200-04526 Fiamma F45 S 350 Deluxe Grey Awning
200-04536 Fiamma F45 S 400 Deluxe Grey Awning

200-04492 Fiamma F45 S 260 Sahara Awning
200-04517 Fiamma F45 S 300 Sahara Awning
200-04527 Fiamma F45 S 350 Sahara Awning
200-04537 Fiamma F45 S 400 Sahara Awning

200-04493 Fiamma F45 S 260 Evergreen Awning
200-04518 Fiamma F45 S 300 Evergreen Awning
200-04528 Fiamma F45 S 350 Evergreen Awning
200-04538 Fiamma F45 S 400 Evergreen Awning

200-04494 Fiamma F45 S 260 Bordeaux Awning
200-04519 Fiamma F45 S 300 Bordeaux Awning
200-04529 Fiamma F45 S 350 Bordeaux Awning
200-04539 Fiamma F45 S 400 Bordeaux Awning

FIAMMA F45TI L AWNINGS

The F45Ti L awnings are perfect for larger RV 's, being both elegant and strong. They have a stronger box (to accomodate the extra weight) and an extra large roller tube. As an essential part of any Australian vacation, F45Ti L awnings are user-friendly and silent when opening and closing. Thanks to its streamlined box, it is also quiet whilst travelling. The arms are fixed into place with a double bolt system which ensures more stability. They are solid and safe and offer a large shaded area for your family and friends to enjoy. Not only are these awnings easy to clean and reliable, they are affordable too. Suitable for mounting onto the wall of your RV, the F45Ti L awning box is made of aluminium with a polar white finish. Comes with a tension rafter (made of anodized aluminium) and a telescopic handle. As with the F45 S awnings, the F45Ti L awning canopies are available in five colours, is UV resistant, waterproof and washable, with the colour printed on both sides of the canopy.

Aluminium Case Dimension:



Use the table below to help decide which F45Ti L awning is right for you:

Description	A	B	C	Shade Surface	Weight
F45Ti L 450	454cm	435cm	250cm	10.9m^2	37kg
F45Ti L 500	504cm	485cm	250cm	12m^2	41kg

200-04540 Fiamma F45 Ti L 450 Blue Ocean Awning
200-04550 Fiamma F45 Ti L 500 Blue Ocean Awning

200-04541 Fiamma F45 Ti L 450 Deluxe Grey Awning
200-04551 Fiamma F45 Ti L 500 Deluxe Grey Awning

200-04542 Fiamma F45 Ti L 450 Sahara Awning
200-04552 Fiamma F45 Ti L 500 Sahara Awning

200-04543 Fiamma F45 Ti L 450 Evergreen Awning
200-04553 Fiamma F45 Ti L 500 Evergreen Awning

200-04544 Fiamma F45 Ti L 450 Bordeaux Awning
200-04554 Fiamma F45 Ti L 500 Bordeaux Awning

Do you know what Fiamma canopies are made of?

FIAMMA CURVED CENTRE RAFTER PRO

200-04600
A curved rafter which helps to eliminate water pooling & the canopy from flapping in the wind. It is easy to install, keeps the fabric taught & also provides more under-canopy clearance. Made from two anodized aluminium telescopic bars, the Rafter Pro is best suited to awnings that have an extension of up to 250cm. Its minimum length is 144cm but can extract to 265cm.



FIAMMA STRAIGHT CENTRE RAFTER

200-04602
Made from anodised aluminium, the Straight Rafter helps to keep the awning taught. It comes with wall clips allowing you to mount it, for storage, inside your vehicle. Best suited to awnings that extend up to 250cm, the Straight Rafter's extension ranges from 142cm – 265cm.

FIAMMA ADAPTER BRACKETS

FIAMMA RAFTER L FOR F45TiL 4.5MT AWNINGS & ABOVE

200-04604
A spring rafter made of solid anodised aluminium. Has a quick fixing system so there is no need for screws. It is easy to install with its twist open & close function, simply twist open to extend it to the length required & then twist close to lock into place.

FIAMMA CARAVANSTORE CENTRE RAFTER

200-04610
An anodised aluminium rafter with a 30mm diameter. It too has a twist open & close function making installation simple.

FIAMMA ADAPTER BRACKETS

If you like the look of Fiamma's F45 range of awning but your RV does not have a flat-walled surface to mount it on, do not worry! Fiamma have a range of adapter brackets allowing you to fit an F45 awning to your RV, some of which don't require any drilling! Use the table below to find which bracket best suits your vehicle.

200-04630
Fiamma Awning VW T2/T3 Fitting Brackets For F45 – Suitable for VW T2 & VW T3 vehicles manufactured after 1980. No drilling required. Kit comprises of x2, 8cm brackets.

200-04632
Fiamma Awning VW T4 Fitting Brackets For F45– Suitable for VW T4 & VW T4 with a Lift Roof. Drilling required. Kit comprises of x2, 8cm brackets.



200-04634
Fiamma Awning "Van" Fitting Brackets For F45 – Suitable for vans such as Fiat Ducato (manufactured before 1994), Ford Transit, Mercedes Sprinter 208D KB. Drilling required. Kit comprises of x2 types of brackets (x2 of each supplied), one suits Fiat Ducato (manufactured before 1994); the other suits Ford Transit, Mercedes Sprinter 208D KB. Brackets are 8cm in length.



Bracket A



Bracket B

200-04635
Fiamma Awning Fix Install Bracket "S" (1pce) – Suitable for RV's with a flat outer wall. An optional extra bracket for those who wish to strengthen their current mounting. Drilling required. Kit comprises of x1, 12cm "S" bracket.

200-04653
Fiamma Awning Mounting Bracket For F45 15degree – Suitable for RV's with a slight curve towards the rooftop & for those wanting to mount the awning closer towards the curve of the roof. Drilling required. Kit comprises of x1, 11cm bracket.



200-04655
Fiamma Awning Mounting Bracket For F45 5degree - Suitable for RV's with a slight curve towards the rooftop & for those wanting to mount the awning closer towards the curve of the roof. Drilling required. Kit comprises of x1, 9cm bracket.



FIAMMA ADAPTER BRACKETS

FIAMMA AWNING RAIN GUARDS

Awning rain guards are a great solution to prevent water from dripping behind the space where your Fiamma awning has been mounted. Made of rubber, the rain guard is installed onto the awning case (no need to remove the awning). Comes in two widths.

200-04800 - FIAMMA AWNING RAIN GUARD L
Suited to awnings that have been fitted using one of the adapter brackets that resulted in a gap of up to 9cm between the awning case & the RV wall. Can also be used on curved walls. Sold per metre.



200-04810 - FIAMMA AWNING RAIN GUARD S
For awnings installed with the standard AS120 bracket on flat walls. Fits the 1.6cm gap between the flat wall of the RV & the back of the awning case. Sold per metre.



FIAMMA WINDING HANDLE TELESCOPIC

200-04896
This telescopic handle is standard delivered with the F45TiL awning. Made from light aluminium, it is ideal for high motor homes or caravans, allowing users to easily unwind their awning without stretching. Weighs only 1.32kg. Min length is 154cm but can extend up to 240cm.

FIAMMA WINDING HANDLE STANDARD 123CM

200-04898
This 123cm crank handle is standard delivered with F45S awnings up to 400cm. It has a folding handle & is made of ultra light aluminium. It can be cut down if required & weighs only 0.4kg. Comes with a clip for storage inside your RV.

FIAMMA WINDING HANDLE SHORT 51CM

200-04900
The shortest of Fiamma's crank handles the 51cm version is also made of light aluminium, meaning it only weighs 0.24kg. Ideal for smaller/ lower RV's. It also comes with a clip for storage inside your RV.



FIAMMA ALU WALL BRACKETS FOR AWNING LEGS

200-04901
Made of aluminium, these are installed on the outside wall of your RV, allowing you to mount the legs of awning on the side of your RV (instead of vertically dropping to the ground). Suitable for Fiamma F45S, F45TiL, F65, Caravanstore & F35 awnings. Comes in a set of 2.

FIAMMA LEG WALL BRACKET KIT FOR F45 AWNINGS

200-04902
These wall brackets are made of a sturdy, white plastic to compliment the colour of your RV. Suitable for F45S & F45TiL awnings. Comes in a set of 2.

FIAMMA TIEDOWNS (BLACK)

200-08004
A Fiamma tie-down that allows for solid anchoring. It fits into the awning rails or the side clip of the privacy room. Comes with two 300cm adjustable bands & the necessary stakes & tension springs.

FIAMMA CLIP SYSTEM (SOLD PER PAIR)

200-08006
An exclusive to Fiamma, the Clip System allows the side panel of the Privacy Room to be quickly & easily joined with the fabric of the awning. To ensure the best seal, the fabric of the awning is 'sandwiched' between the upper & lower rail by screwing the internal knobs. The Clip System is delivered with two vertical poles & is made of anodized aluminium. It can be adapted to suit awnings with a max extension of 250cm.



AUSSIE TRAVELLER ANTI-FLAP KITS

Australian made, this range of Anti-Flap Kits were designed for those RV's with roll out awnings installed. They make adding walls easy, resulting in a wind & waterproof seal between the edge of the awning fabric & the wall. The Anti-Flap Kits come in three sizes depending on the extension of your awning. The Kit itself clamps onto the length of your awning. It has two inbuilt sail tracks allowing you to hang walls quickly as well as a fly net if you have one. Comes with all fittings & instructions.

200-08011
Aussie traveller medium anti flap kit aluminium (white)
Suited to roll out awnings that extend from 220cm up to 230cm.

200-08012
Aussie traveller long anti-flap kit aluminium (white)
Suited to roll out awnings that extend from 230cm up to 240cm.

200-08013
Aussie traveller short anti flap kit aluminium (white)
Suited to roll out awnings that extend from 210cm up to 220cm.

HAPPY HOOK AWNING TIE DOWN KIT

200-08020
Designed to pull the roller tube down to tighten the awning vinyl & hence reducing flapping caused by wind.

AWNING ACCESSORIES

SAILTRACK

A solution to fixing one end of your roll out awning to the wall of your RV or the roof of your pop top. Alternatively, mount these vertically onto the walls of your RV enabling you to install an annexe room. Drilling is required to attach to the wall of the RV. Comes in two colours.

200-08100
Sailtrack Single Sided 6mt
Mill Finish



200-08102
Sailtrack Double Sided 6mt
Mill Finish



200-08104
Sailtrack Single Sided 6mt
White

200-08106
Sailtrack Double Sided 6mt
White

200-08110
Sailtrack Single Sided White
4.3mt

200-08112
Sailtrack Double Sided White
4.3mt

RV AWNING HOOKS

200-08144
Sturdy sewn fabric tabs with grommets that slide into the roller bar channel of your awning. It enables you to hang lights, wind chimes & other light items from the edge of your canopy. Each pack contains x7 tabs.

RV AWNING STABILISER KIT

200-08150
Secure your awning economically. Extra holding power of spiral stakes works well in all kinds of soil. Tension units keep ropes securely taut. Easy-to-use kit stores compactly & fits all roll out awnings. Great for use on the beach, it attaches to the ends of the roller bar on your awning.

AWNING HOLD DOWN STRAP KIT

200-08160
Secures your roll out awning by distributing the tension evenly across the canopy. It is a wrinkle resistant strip that fits awnings up to 25'. Kit includes strap, stakes, springs & brackets.

AWNING DE-FLAPPER KITS

Helps to protect awnings from costly rips & tears while reducing wind flapping. The de-flapper securely holds the awning fabric by means of hook & loop velcro straps. Made of durable nylon with UV stabilizers.

200-08170
Caravan de-flapper kit with velcro straps (set of 2)
Clamp Width: 50mm
Strap Length: 130mm

200-08172
Pop top de-flapper kit with velcro straps (set of two)
Clamp Width: 50mm
Strap Length: 300mm

MAX DE-FLAPPER KITS

A larger version of the original de-flapper with wider grippers to keep the awning vinyl even more stable.

200-08180
Max caravan deflapper kit (set of 2)
Clamp Width: 200mm
Strap Length: 140mm

200-08190
Max pop top deflapper kit (set of 2)
Clamp Width: 200mm
Strap Length: 320mm

FIAMMA SUN VIEW PANELS

A convenient front panel to suit F45 & F65 awnings. It is made with a semitransparent light filtering material, offering you extra shade by blocking out 80% of light. It is easy to fit & comes with ropes & pegs. Three sizes are available to fit your requirements.



200-08250
Fiamma Sun-View (3.0mt x 1.40mt)
Sun View Length: 285cm
Awning Length: 300cm

200-08252
Fiamma Sun-View (3.5mt x 1.40mt)
Sun View Length: 335cm
Awning Length: 350cm

200-08254
Fiamma Sun-View (4mt x 1.40mt)
Sun View Length: 385cm
Awning Length: 400cm

AUSSIE TRAVELLER CURVED ROOF RAFTERS

Curved Roof Rafters have a dual purpose. They are mostly used to prevent the awning canopy from sagging & hence ensures water run-off. They are also good for keeping the awning fabric taught thus reducing wind flap. Awnings that flap can cause your RV to shake or even cause damage to the awning itself. Aussie Traveller has produced two types of telescopic Curved Roof Rafters - suiting most brands of rollout awnings.
Please see the guide below to see how many rafters are recommended per awning:

AWNING SIZE	RECOMMENDATION
11' and under	1
12' – 16'	2
17' – 20'	3
21' and over	4

200-08280
Aussie traveller curved roof rafter maxi inc bracket
Curve: 90mm
Extension: 1400 – 2580 (mm)

200-08282
Aussie traveller mini curved roof rafter inc bracket
Curve: 60mm
Extension: 1400 – 2580 (mm)



CURVED ROOF RAFTER (WHITE)

200-08290
Coast Curved Roof Rafters are designed to bow the awning roof to enable rain to run off easily while offering resistance to wind.
Max extension: 243cm.

COAST MULTI PURPOSE FLOOR MATTING

Great for any outdoor activity (or even around the home), this floor matting is made from foamed PVC making it a soft, breathable mat that won't kill the grass! It has a non slip feature so items you place on it will stay where you left them. This is a hard wearing, durable mat that has endless uses. Available in three trendy colours.

200-08300
Green - 250cm X 300cm
(comes with carry bag)



200-08302
Green - 250cm X 400cm
(comes with carry bag)

200-08304
Green - 250cm X 500cm
(comes with carry bag)

200-08306
Green - 250cm X 600cm
(comes with carry bag)

200-08308
Green - 250cm X 30mt roll

200-08310
Grey - 250cm X 300cm
(comes with carry bag)



200-08312
Grey - 250cm X 400cm
(comes with carry bag)

200-08314
Grey - 250cm X 500cm
(comes with carry bag)

200-08316
Grey - 250cm X 600cm
(comes with carry bag)

200-08318
Grey - 250cm X 30mt roll

200-08320
Blue - 250cm X 300cm
(comes with carry bag)

200-08322
Blue - 250cm X 400cm
(comes with carry bag)

200-08324
Blue - 250cm X 500cm
(comes with carry bag)

200-08326
Blue - 250cm X 600cm
(comes with carry bag)

200-08328
Blue - 250cm X 30mt roll

ENDUROMATS

Perfect for camping, these Australian made mats help to keep your RV cleaner. Small dirt particles, such as sand, fall through the mesh, leaving larger stones on top for easy removal. Made of a PVC welded fibre, Enduromats are strong & durable but not on the grass underneath! The mesh style fabric allows air to move beneath its surface allowing grass to breath. Non-slip & mildew resistant, the lightweight mat is easy to carry & store. Because nothing sticks to the Enduromat, minimal maintenance is required. To clean, simply shake the mat & then fold as per normal to put back into the bag. It is even UV resistant so it will maintain its colour for years. Enduromats come in two colours, green & black.

200-08400
Enduromat Forest Green
(2m x 2.45m)

200-08402
Enduromat Forest Green
(3m x 2.45m)

200-08404
Enduromat Forest Green
(4m x 2.45m)

200-08406
Enduromat Forest Green
(5m x 2.45m)

200-08408
Enduromat Forest Green
(6m x 2.45m)

200-08410
Enduromat Forest Green
(7m x 2.45m)

200-08450
Enduromat Black
(2m x 2.45m)

200-08452
Enduromat Black
(3m x 2.45m)

200-08454
Enduromat Black
(4m x 2.45m)

200-08456
Enduromat Black
(5m x 2.45m)

200-08458
Enduromat Black
(6m x 2.45m)

200-08460
Enduromat Black
(7m x 2.45m)

COAST SUNSCREENS

Coast have redesigned our sunscreens so that they suit roll out awnings (such as Carefree Fiesta awnings) and box awnings (such as Fiamma F45 S and Ti L awnings). They are still quick and easy to install, taking just 15 minutes for the less experienced caravanner to achieve setup. Once you have taken it out of the packaging, just shake it out (like you would a blanket), grab the end without the eyelets and start threading it through the track on your awning.

Benefits at a glance:

- Has hemmed edging (all round) to prevent fraying
- Tough stainless steel D-rings protect the sunscreen from rips and tears
- Comes with guy ropes and heavy duty 8mm steel pegs for securing
- Has a 95% shade rating to offer relief from excess heat
- Offers extra privacy

Sunscreen shown was used on a Carefree Fiesta roll out awning.

Sunscreen shown was used on a Carefree Freedom box awning.

Use the information below to determine which sunscreen is best for you:

200-09000
Sunscreen To Suit 10' Roll Out Awning
W 2805mm x H 1800mm

200-09010
Sunscreen To Suit 11' Roll Out Awning
W 3110mm x H 1800mm

200-09020
Sunscreen To Suit 12' Roll Out Awning
W 3415mm x H 1800mm

200-09030
Sunscreen To Suit 13' Roll Out Awning
W 3720mm x H 1800mm

200-09040
Sunscreen To Suit 14' Roll Out Awning
W 4025mm x H 1800mm

200-09050
Sunscreen To Suit 15' Roll Out Awning
W 4330mm x H 1800mm

200-09060
Sunscreen To Suit 16' Roll Out Awning
W 4635mm x H 1800mm

200-09070
Sunscreen To Suit 17' Roll Out Awning
W 4940mm x H 1800mm

200-09080
Sunscreen To Suit 18' Roll Out Awning
W 5245mm x H 1800mm

200-09100
Sunscreen To Suit Fiamma and Carefree 3mt Box Awnings
W 2850mm x H 1600mm

200-09110
Sunscreen To Suit Fiamma and Carefree 3.5mt Box Awnings
W 3350mm x H 1600mm

200-09120
Sunscreen To Suit Fiamma and Carefree 4mt Box Awnings
W 3850mm x H 1600mm

CAREFREE AWNINGS

CAREFREE ROLL OUT WINDOW AWNINGS

Window awnings offer an alternative to roll out awnings but still provide essential protection from the sun. Carefree have modified their window awnings to incorporate a more streamlined design. The vinyl has also been given an update to an opaque white, complimentary to any RV exterior. Two types of Carefree Window Awnings are available, the SL and the SL XL. The SL window awning is suitable for windows less than 36" (91cm) in height. If your window is more than 36" in height, you will require the SL XL window awning.



200-31012
SL 4Ft White Window Awning

200-31014
SL 5Ft White Window Awning

200-31016
SL 6Ft White Window Awning

200-31512
4Ft White SL XL Window Awning

200-31514
5Ft White SL XL Window Awning

200-31516
6Ft White SL XL Window Awning

CAREFREE WINDOW AWNING HARDWARE

200-31902
SL White Window Awning Hardware - capable of 18" (46cm) extension

200-31960
SL XL White Window Awning Hardware - capable of 30" (76cm) extension

CAREFREE FIESTA ROLL OUT AWNINGS

Carefree offer the highest quality caravan awnings & accessories to enhance your outdoor lifestyle. The vinyl fabric features a superior construction with the top portion being called the Weatherguard - this protects the fabric from the sun, scrapes & exposure when the awning is rolled up.

The Carefree Fiesta awning has long been a favourite amongst RVers, not only in the U.S. but here in Australia as well. It is a simple to use manual, spring loaded, rollout awning featuring a vinyl weather guard as mentioned above. The Fiesta is available in 8 stylish & fun colours – the perfect compliment to your caravan, motor home or pop-top! Sizes range from 8ft (2.4Mt) up to 18ft (5.5Mt) for the striped colour range. The fade colour range starts at 10ft (3.0Mt) up to 18ft (5.5Mt). The 8' – 14' awnings project up to 7'3" (2.21mt) while awnings from 15' – 21' project up to 7'9" (2.46mt).

Black & Grey Fiesta shown.

Camel Fade Fiesta shown.

FIESTA FEATURES:
Remote & Travel locks
These work together to ensure the Fiesta does not come undone during travel. They eliminate the need for you to stretch & fumble for the roller lock.

Canopy Clamps
Built onto the hardware & self storing. They help to keep your awning taught & provides extra protection from the elements (not available on arms supplied to suit pop tops).

Heavy Duty Brackets
Solid & rugged. The awning hardware & castings are white to compliment the trim of your RV.

Single Track Slider
Located on the inside of the hardware channels, it eliminates the rafter binding during setup & storage. You get a smooth gliding motion as soon as you slide the rafters up the hardware arms.

CAREFREE AWNINGS

200-32000 - Carefree 8ft Teal Roll Out Awning
200-32010 - Carefree 9ft Teal Roll Out Awning
200-32020 - Carefree 10ft Teal Roll Out Awning
200-32030 - Carefree 11ft Teal Roll Out Awning
200-32040 - Carefree 12ft Teal Roll Out Awning
200-32050 - Carefree 13ft Teal Roll Out Awning
200-32060 - Carefree 14ft Teal Roll Out Awning
200-32070 - Carefree 15ft Teal Roll Out Awning
200-32080 - Carefree 16ft Teal Roll Out Awning
200-32090 - Carefree 17ft Teal Roll Out Awning
200-32100 - Carefree 18ft Teal Roll Out Awning

200-32200 - Carefree 8ft Ocean Blue Roll Out Awning
200-32210 - Carefree 9ft Ocean Blue Roll Out Awning
200-32220 - Carefree 10ft Ocean Blue Roll Out Awning
200-32230 - Carefree 11ft Ocean Blue Roll Out Awning
200-32240 - Carefree 12ft Ocean Blue Roll Out Awning
200-32250 - Carefree 13ft Ocean Blue Roll Out Awning
200-32260 - Carefree 14ft Ocean Blue Roll Out Awning
200-32270 - Carefree 15ft Ocean Blue Roll Out Awning
200-32280 - Carefree 16ft Ocean Blue Roll Out Awning
200-32290 - Carefree 17ft Ocean Blue Roll Out Awning
200-32300 - Carefree 18ft Ocean Blue Roll Out Awning

200-32400 - Carefree 8ft Bordeaux Roll Out Awning
200-32410 - Carefree 9ft Bordeaux Roll Out Awning
200-32420 - Carefree 10ft Bordeaux Roll Out Awning
200-32430 - Carefree 11ft Bordeaux Roll Out Awning
200-32440 - Carefree 12ft Bordeaux Roll Out Awning
200-32450 - Carefree 13ft Bordeaux Roll Out Awning
200-32460 - Carefree 14ft Bordeaux Roll Out Awning
200-32470 - Carefree 15ft Bordeaux Roll Out Awning
200-32480 - Carefree 16ft Bordeaux Roll Out Awning
200-32490 - Carefree 17ft Bordeaux Roll Out Awning
200-32500 - Carefree 18ft Bordeaux Roll Out Awning

200-32600 - Carefree 8ft Black & Grey Roll Out Awning
200-32610 - Carefree 9ft Black & Grey Roll Out Awning
200-32620 - Carefree 10ft Black & Grey Roll Out Awning
200-32630 - Carefree 11ft Black & Grey Roll Out Awning
200-32640 - Carefree 12ft Black & Grey Roll Out Awning
200-32650 - Carefree 13ft Black & Grey Roll Out Awning
200-32660 - Carefree 14ft Black & Grey Roll Out Awning
200-32670 - Carefree 15ft Black & Grey Roll Out Awning
200-32680 - Carefree 16ft Black & Grey Roll Out Awning
200-32690 - Carefree 17ft Black & Grey Roll Out Awning
200-32700 - Carefree 18ft Black & Grey Roll Out Awning

200-33100 - Carefree 10ft Blue Slate Fade Roll Out Awning
200-33110 - Carefree 11ft Blue Slate Fade Roll Out Awning
200-33120 - Carefree 12ft Blue Slate Fade Roll Out Awning
200-33130 - Carefree 13ft Blue Slate Fade Roll Out Awning
200-33140 - Carefree 14ft Blue Slate Fade Roll Out Awning
200-33150 - Carefree 15ft Blue Slate Fade Roll Out Awning
200-33160 - Carefree 16ft Blue Slate Fade Roll Out Awning
200-33170 - Carefree 17ft Blue Slate Fade Roll Out Awning
200-33180 - Carefree 18ft Blue Slate Fade Roll Out Awning

200-33300 - Carefree 10ft Camel Fade Roll Out Awning
200-33310 - Carefree 11ft Camel Fade Roll Out Awning
200-33320 - Carefree 12ft Camel Fade Roll Out Awning
200-33330 - Carefree 13ft Camel Fade Roll Out Awning
200-33340 - Carefree 14ft Camel Fade Roll Out Awning
200-33350 - Carefree 15ft Camel Fade Roll Out Awning
200-33360 - Carefree 16ft Camel Fade Roll Out Awning
200-33370 - Carefree 17ft Camel Fade Roll Out Awning
200-33380 - Carefree 18ft Camel Fade Roll Out Awning

200-33600 - Carefree 10ft Silver Fade Roll Out Awning
200-33610 - Carefree 11ft Silver Fade Roll Out Awning
200-33620 - Carefree 12ft Silver Fade Roll Out Awning
200-33630 - Carefree 13ft Silver Fade Roll Out Awning
200-33640 - Carefree 14ft Silver Fade Roll Out Awning
200-33650 - Carefree 15ft Silver Fade Roll Out Awning
200-33660 - Carefree 16ft Silver Fade Roll Out Awning
200-33670 - Carefree 17ft Silver Fade Roll Out Awning
200-33680 - Carefree 18ft Silver Fade Roll Out Awning
200-33690 - Carefree 19ft Silver Fade Roll Out Awning
200-33700 - Carefree 20ft Silver Fade Roll Out Awning
200-33710 - Carefree 21ft Silver Fade Roll Out Awning

200-33800 - Carefree 10ft Burgundy Fade Roll Out Awning
200-33810 - Carefree 11ft Burgundy Fade Roll Out Awning
200-33820 - Carefree 12ft Burgundy Fade Roll Out Awning
200-33830 - Carefree 13ft Burgundy Fade Roll Out Awning
200-33840 - Carefree 14ft Burgundy Fade Roll Out Awning
200-33850 - Carefree 15ft Burgundy Fade Roll Out Awning
200-33860 - Carefree 16ft Burgundy Fade Roll Out Awning
200-33870 - Carefree 17ft Burgundy Fade Roll Out Awning
200-33880 - Carefree 18ft Burgundy Fade Roll Out Awning

CAREFREE AWNINGS

CAREFREE ECLIPSE AWNINGS

The Carefree Eclipse awning is yet another innovative design from these 40 year strong manufacturers. It is a 12V electric awning that extends (& retracts) at the touch of a button (usually mounted near the door of your RV). You can choose to unwind it partially or to its 8ft full extension. As the worm-gear motor unwinds the canopy, the arms glide up the vertical track (mounted to the outside wall of your RV). The end result being a stable canopy with truss like support. To retract the Eclipse simply hold the button & the motor will roll it up tight again your RV and that's it, eliminating the need to fumble for roller locks!

The Eclipse is available in Silver Fade in sizes from 14ft – 18ft (in 1ft increments).

Silver Fade Eclipse shown

ECLIPSE FEATURES:



Unmatched Performance
Eclipse has remarkable strength & support for an automatic awning, not to mention it's stylish good looks

Self Levelling
No need to level the canopy before you roll it up & the genius part is that when you do unwind it again, it will unwind to its last setting.

Rain-dump Feature
When your Eclipse is on a flat pitch & rain is pooling on the canopy, the gas strut will momentarily retract & dump the water.

Adjustable Pitch
There are 6 settings on the awning arm giving you options to maximise shelter from the sun & rain.

200-33908 - Carefree 14' Eclipse 12v Silver Fade Awning
200-33910- Carefree 15' Eclipse 12v Silver Fade Awning
200-33912 - Carefree 16' Eclipse 12v Silver Fade Awning
200-33914 - Carefree 17' Eclipse 12v Silver Fade Awning
200-33916 - Carefree 18' Eclipse 12v Silver Fade Awning

**All Carefree awnings are sold in two components, the vinyl and the hardware (or arms). Hardware required will vary depending on size & type of RV. Please consult a Coast to Coast staff member to determine the correct hardware to suit your vehicle.*

CAREFREE REPLACEMENT VINYLS

If your awning is in need of a makeover call your nearest Coast to Coast stockist. Carefree replacements vinyls are available in the colours shown below:

BLACK & GREY

BLUE SLATE FADE

BORDEAUX

BURGUNDY FADE

CAMEL FADE

TEAL

OCEAN BLUE

SILVER FADE

AWNING HARDWARE

CAREFREE WHITE SHORT HARDWARE (POP TOP)

200-33000
Best suited for pop tops or smaller caravans with a straight outer wall i.e. walls with a height of 1.6mt – 1.7mt from the floor line up to the awning railing.



CAREFREE WHITE LONG HARDWARE (UNIVERSAL)

200-33010
Best suited for larger caravans with a straight outer wall i.e. walls with a height of 1.7mt – 2.1mt from the floor line up to the awning railing.



CAREFREE AWNING HARDWARE 12V ECLIPSE

200-33012
12V Awning arms to suit the Eclipse awning. Must be fitted to a flat-walled caravan or motor home, it is 10.8cm wide & requires 1.8mt from the awning rail to the floor line.



CAREFREE WHITE CURVED HARDWARE BENT TOP & BENT LEG

200-33020
Suits RV's with a curved outer wall.



CAREFREE WHITE CURVED HARDWARE BENT TOP & STRAIGHT LEG

200-33022
Suits most RV's with a curved roof such as Winnebago's and Renault Trafics.

CAREFREE RAFTER STANDARD

200-33030
The standard rafter has an awning support cradle & is easy to use. The end with the awning support cradle attaches to your RV wall, allowing the rafter to swing out towards the awning roller (once extended). Simply tighten the knob on the roller & use the lever to fit it to the roller. You can make the canopy as tight as your want but take care not to stress your canopy roller. Comes in polar white & suits the Carefree Fiesta range of awnings.

CAREFREE RAFTER WITH GROUND SUPPORT

200-33040
Has the same benefits as the standard rafter but has the additional ground support leg. This prevents the awning roller from sagging (towards the ground) once the awning has been rolled out. The ground support & roller hence work together to keep the awning roller straight. Comes in polar white.

In storage on the side of your RV

Ground Support in use

CAREFREE AUTOMATIC AWNING SUPPORT CRADLE

200-33050
Fits all roller awning brands, the awning support has a pivoting head. Once you roll up your awning, the pivoting head receives the roller & support it, eliminating weight stress & potential bowing in the centre of your awning roller. The awning supports will not damage the awning fabric. Recommended for use on flat walls (of RV's) & for awning widths of 16ft or greater.

POPULAR CAREFREE AWNING SPARE PARTS



No.	Carefree Part No.	Coast Part No.	Description
6	901020	200-34200	Carefree BLACK car port foot for main inner arm
	901020W	200-34070	Carefree WHITE car port foot for main inner arm
7	901046W	200-34040	Carefree hardware remote lock WHITE – length: 38.5" (97.8cm)
	901046	200-34214	Carefree hardware remote lock BLACK - length: 38.5" (97.8cm)
8	901017	200-34202	Carefree BLACK travel lock
	901017W	200-34050	Carefree WHITE travel lock
9	901015W	200-34060	Carefree WHITE lift handle
	901015	200-34204	Carefree BLACK lift handle
12	R00405	200-34090	Carefree brace slider assembly
13	901022	200-34120	Carefree pair of BLACK locking knob with nut
14	902801W	200-34130	Carefree pair of WHITE canopy clamps
15	901019W	200-34080	Carefree WHITE bottom bracket
	901019	200-34206	Carefree BLACK bottom bracket
18	901018W	200-34140	Carefree WHITE top bracket
	901018	200-34208	Carefree BLACK top bracket
20	R00925WHT	200-34032	Carefree spring assembly cam end for 8'to18' awning (r/hand)
	R00926WHT	200-34036	Carefree spring assembly cam end 18' to 21' awning (r/hand)
21	R00923WHT	200-34030	Carefree spring assembly non cam end for 8'to18' awning (l/hand)
	R00924WHT	200-34034	Carefree spring assembly non cam end 18'to21' awning (l/hand)
25	R022406-001	200-34160	Pull down strap for Carefree Fiesta awning

Note: Awning 7'11" and shorter use only x1 R/Hand Spring i.e. there is not L/Hand Spring

CAREFREE FREEDOM 12V AWNINGS

Streamlined and easy to operate, Carefree have released the Freedom 12V box awning that mounts onto the side of your RV. By utilizing the button installed inside your RV, you can open and retract the awning. Whilst opening the awning, the support arms (located in the lead bar) can be unfolded once it is at a comfortable and easy-to-reach height. The Freedom's support arms are adjustable by means of flip lock controls. To retract the awning, simply fold support arms back into the lead bar and press the button, the awning case closes and locks itself so you are ready to continue your journey. The Freedom 12V awnings are housed in an attractive white aluminium casing and are available in two canopy colours.

Use the table below to determine which Freedom 12V awning is best for you:

Awning Size	Canopy Width	Canopy Extension
Freedom 2.5mt	2.4mt	2mt
Freedom 3mt	2.8mt	2.4mt
Freedom 3.5mt	3.3mt	2.4mt
Freedom 4mt	3.8mt	2.4mt
Freedom 4.5mt	4.3mt	2.4mt
Box Dimensions: 14.5H x 9.1D (cm)		
Power Requirements: 12V, 15A		

200-38000 - Freedom 2.5mt Blue Slate Fade 12V Box Awning
200-38010 - Freedom 3.0mt Blue Slate Fade 12V Box Awning
200-38020 - Freedom 3.5mt Blue Slate Fade 12V Box Awning
200-38030 - Freedom 4.0mt Blue Slate Fade 12V Box Awning
200-38040 - Freedom 4.5mt Blue Slate Fade 12V Box Awning

200-38002 - Freedom 2.5mt Silver Fade 12V Box Awning
200-38012 - Freedom 3.0mt Silver Fade 12V Box Awning
200-38022 - Freedom 3.5mt Silver Fade 12V Box Awning
200-38032 - Freedom 4.0mt Silver Fade 12V Box Awning
200-38042 - Freedom 4.5mt Silver Fade 12V Box Awning

FREEDOM 12V AWNING SPARE PARTS



No.	Carefree Part No.	Coast Part No.	Description
1	R001618WHT	200-38502	Freedom L/H End Cap Top White
3	R001637WHT	200-38500	Freedom L/H Motor Assy White
4	R001620WHT	200-38504	Freedom R/H End Cap White
4a	R040792-005	200-38506	Freedom Plug White
5	R001621	200-38508	Freedom Ramp Kit Lead Rail
6	R001622	200-38510	Freedom L/H Roller Tube End Plug
7	R001623	200-38512	Freedom R/H Roller Tube End Plug
8	R001624WHT	200-38514	Freedom L/H End Plate Lead Rail White
9	R001625WHT	200-38516	Freedom R/H End Plate Lead Rail White
10	R001626	200-38518	Freedom L/H Knuckle Assy Case
11	R001627	200-38520	Freedom R/H Knuckle Assy Case
12	R001628	200-38522	Freedom L/H Assy Pivot
13	R001629	200-38524	Freedom R/H Assy Pivot
14	R001630	200-38526	Freedom Hardware Pack Arm Attach - 1 Arm
15	R012530-TB76L	200-38528	Freedom L/H Spring Arm Assy - Used with 2.57m
	R012530-TB94L	200-38532	Freedom L/H Spring Arm Assy - Used with 3.0m & Up
16	R012530-TB76R	200-38530	Freedom R/H Spring Arm Assy - Used with 2.57m
	R012530-TB94R	200-38534	Freedom R/H Spring Arm Assy - Used with 3.0m & Up
17	R001654-001	200-38536	Freedom L/H Vertical Support Leg - Used with 2.44m & 2.57m
	R001654-002	200-38540	Freedom L/H Vertical Support Leg - Used with 3.0m & Up
18	R001654-101	200-38538	Freedom R/H Vertical Support Leg - Used with 2.44m & 2.57m
	R001654-102	200-38542	Freedom R/H Vertical Support Leg - Used with 3.0m & Up
19	R00394	200-38544	Freedom Carport Foot
20	R019283-005	200-38546	Freedom Kit Bottom Bracket White
22	R001605	200-38548	Freedom Switch Kit
23	R019311-001	200-38550	Freedom Hardware Pack 2.43m to 4.0m
24	R019311-003	200-38552	Freedom Hardware Pack 4.50m to 5.0m

TIPS FOR CAREFREE AWNINGS: CARE & MAINTENANCE

FABRIC CARE:
- Do not use oil-based cleaners or any granulated/ abrasive type cleaners on your Carefree awning.
- The easiest way to delay the need for a deep clean is to simply hose down the awning fabric once a month with clear water – this prevents dirt from becoming set in into the fabric.
- When the time comes for a thorough cleaning, you can leave the fabric on the frame. For vinyl fabric, simply use a soft brush & warm water with a natural soap. Allow the fabric to air dry completely before rolling back up.

MILDEW:
- A fungus that looks like dirt.
- Common in areas where temperature & humidity is high, mildew can become a problem.
- Rinse fabric with clean water & allow to air dry completely before rolling back up.

LEAKING:
- On vinyl canopies, side hems & poly cords are stitched with a sewing machine.
- The stitching may allow water to seep through – this is normal & not a warranty defect.
- In this instance, treat the seams with a seam sealer.

ARM CARE:
- Always keep this clean to allow the arms & braces to operate smoothly.
- Periodically wash out the arm channels with a hose to keep them clean & eliminate dirt & debris.
- Once the arms have been cleaned & dried completely, you can spray the joints with a dry silicone lubricant.

CLOSET ROD GOLD (8FT LENGTHS)

250-00120
Used inside wardrobes, these closet rods are made from anodized aluminium so it won't rust. It comes with predrilled holes for easy installation.



CUPBOARD DOOR STRUTS

These spring-loaded door struts offer strong support for overhead & under bench cupboards whilst in the open position. Featuring a flat swivel bracket on one end. Available in two style finishes.

250-00150
Cupboard Door Strut 6 1/2" (16.5cm) Brass Finish

250-00160
Cupboard Door Strut 6 1/2" (16.5cm) Colonial English Finish



CANOPY LIFT MECHANISMS (FLAT)

A flat 'scissor' style canopy lifter which raises the roof on a pop-top or campervan. They are made of a steel track on the bottom & top sections, as well as two flat steel lengths that form an 'X' & pivot in the centre. Available in two lengths.

250-00500
Canopy Lift Mechanism Standard Tension Spring
- Width: 900mm
- Lift Height: 685mm
- Weight Rating: 40kg



250-00510
Canopy Lift Mechanism Standard Tension Spring
- Width: 700mm
- Lift Height: 560mm
- Weight Rating: 35kg



CANOPY LIFT MECHANISM (TUBULAR)

250-00520
A tubular 'scissor' style canopy lifter which raises the roof on a pop-top or campervan. It is made of a steel track on the bottom & top sections, as well as two tubular steel lengths that form an 'X' & pivot in the centre.
- Width: 900mm
- Lift Height: 685mm



CANOPY LIFT MECHANISM 1200MM

250-00530
A flat 'scissor' style canopy lifter which raises the roof on a pop-top or campervan. It is made of a steel track on the bottom & top sections, as well as two steel lengths that form an 'X' & pivot in the centre.
- Width: 1200mm
- Lift Height: 990mm
- Weight Rating: 35kg



ROOF CLAMP FOR POP TOPS

250-00550
These roof clamps secure the roof of the pop-top or campervan in the lowered position whilst in travel. Comes as a 2-part kit, a clamp & small bracket that gets screwed to the roof. Kits are sold separately. (white)



250-00560
J hook for white pop-top clamp (white)

250-00600
Roof Clamp for Pop Top (Silver)



250-00610
J Hook for Silver Pop Top Clamp



TRULINE ALUMINIUM WHITE (5MT)

250-02000
Also known as Millard Series 80 Aluminium. This is a powder coated aluminium edging used to seal the joins of the exterior of your RV e.g. where the side wall meets the roof or the rear panel. (Has a 25mm lip to cover the roof or front/ rear).



MOULD INSERT WHITE FOR TRULINE ALUMINIUM

250-02118
Fits inside the Truline Aluminium to cover up any unsightly screws.

3 STAGE CAMPER LIFTER WITHOUT WINGS

250-03000
Once you have successfully opened your Jayco camper trailer these lifters act as a support to keep your camper trailer in the 'open' position.



PUSH RODS 66"

250-03010
These strong, flexible pushrods guide the roof of your camper trailer upwards as you wind the crank. They help to push the lifter arm up.



PLASTIC BED SADDLES

250-03020
Plastic Bed Saddle To Suit Camper

250-03022
Plastic Bed Saddle To Suit Expanda